

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of the claims in the application:

1. (Cancelled)
2. (Currently Amended) The method of claim \pm 26, wherein the replication request includes an object instance identifier and a mobile device identifier.
3. (Original) The method of claim 2, further comprising:
executing a remote function call in response to the replication request.
4. (Currently Amended) The method of claim \pm 26, wherein said replicating the object instance includes:
requesting updated data associated with the object instance from the network server;
receiving the updated data associated with the object instance from the network server;
and
storing the updated data associated with the object instance in a replica database.
5. (Original) The method of claim 4, wherein said requesting updated data includes executing a remote function call, including an object instance identifier, on the network server.
6. (Original) The method of claim 4, wherein said sending the replicated object instance to the mobile device includes sending only the updated data associated with the object instance to the mobile device.
7. (Original) The method of claim 5, further comprising:
sending a replication acknowledgement message to the network server in response to said storing the updated data.
8. (Currently Amended) The method of claim \pm 26, wherein said replicating an object instance includes deleting the object instance from a replica database.
9. (Currently Amended) The method of claim \pm 26, wherein said replicating an object instance includes adding a new object instance to a replica database.

10. (Cancelled)
11. (Currently Amended) The computer readable medium of claim ~~10~~ 27, wherein the replication request includes an object instance identifier and a mobile device identifier.
12. (Original) The computer readable medium of claim 11, wherein the method further comprises:
 - executing a remote function call in response to the replication request.
13. (Currently Amended) The computer readable medium of claim ~~10~~ 27, wherein said replicating the object instance includes:
 - requesting updated data associated with the object instance from the network server;
 - receiving the updated data associated with the object instance from the network server;
 - and
 - storing the updated data associated with the object instance in a replica database.
14. (Original) The computer readable medium of claim 13, wherein said sending the replicated object instance to the mobile device includes sending only the updated data associated with the object instance to the mobile device.
15. (Original) The computer readable medium of claim 13, wherein the method further comprises:
 - sending a replication acknowledgement message to the network server in response to said storing the updated data.
16. (Currently Amended) The computer readable medium of claim ~~10~~ 27, wherein said replicating an object instance includes deleting the object instance from a replica database.
17. (Currently Amended) The computer readable medium of claim ~~10~~ 27, wherein said replicating an object instance includes adding a new object instance to a replica database.
18. (Cancelled)
19. (Currently Amended) The system of claim ~~18~~ 28, wherein the replication request includes an object instance identifier and a mobile device identifier.

20. (Original) The system of claim 19, wherein the processor is further adapted to:
execute a remote function call in response to the replication request.
21. (Currently Amended) The system of claim ~~18~~ 28, wherein said replicate the object instance includes to:
request updated data associated with the object instance from the network server;
receive the updated data associated with the object instance from the network server;
and
store the updated data associated with the object instance in a replica database.
22. (Original) The system of claim 21, wherein said send the replicated object instance to the mobile device includes to send only the updated data associated with the object instance to the mobile device.
23. (Original) The system of claim 22, the processor is further adapted to:
send a replication acknowledgement message to the network server in response to said store the updated data.
24. (Currently Amended) The system of claim ~~18~~ 28, wherein said replicate an object instance includes to delete the object instance from a replica database.
25. (Currently Amended) The system of claim ~~18~~ 28, wherein said replicate an object instance includes to add a new object instance to a replica database.
26. (New) A method for synchronizing data between a network server and a mobile device, comprising:
responsive to a replication request received from the network server,
replicating an object instance,
creating a notification message, and
queuing the object instance and notification message;
responsive to a periodic polling request received from the mobile device,
sending the notification message to the mobile device; and thereafter,
responsive to a synchronization request received from the mobile device,
sending one or more replicated object instances to the mobile device.

27. (New) A computer-readable medium including instructions adapted to be executed by at least one processor to implement a method for synchronizing data between a network and a mobile device, the method comprising:

- responsive to a replication request received from the network server,
 - replicating an object instance,
 - creating a notification message, and
 - queuing the object instance and notification message;
- responsive to a periodic polling request received from the mobile device,
 - sending the notification message to the mobile device; and thereafter,
- responsive to a synchronization request received from the mobile device,
 - sending one or more replicated object instances to the mobile device.

28. (New) A system for synchronizing data between a network server and a mobile device, comprising:

- a processor coupled to a network; and
- a memory, coupled to the processor, storing data and instructions adapted to be executed by the processor to:

- responsive to a replication request received from the network server,
 - replicate an object instance,
 - create a notification message, and
 - queue the object instance and notification message;
- responsive to a periodic polling request received from the mobile device,
 - send the notification message to the mobile device; and thereafter,
- responsive to a synchronization request received from the mobile device,
 - send one or more replicated object instances to the mobile device.